



- ☎ TEL: Jennifer +86 18952468555 / Jasmine +86 15358039949
- 📍 ADD: Block A, Zhongdeng Wenjing Building, Fengcheng 9th Road, Economic and Technological Development Zone, Xi'an City, Shaanxi Province
- 🌐 WEB: <https://www.tiscogroups.com/>



One-stop service

陕西太钢钢业有限公司

SHANXI TISCO STEEL CO., LTD





■ ENTERPRISE MISSION

To pursue outstanding quality with innovative and stainless wisdom

■ STRATEGIC TARGET

Strengthen main business, Persist in extension development, diversified development, green development and harmonious development, Build the most competitive stainless steel enterprise in the world, To be a great enterprise group top-ranking in China and well known in the world

■ CORE VALUES

Person oriented, customer centered, quality revitalizing, fully open up, keeping creative.

■ MARKETING CONCEPT

Providing customer with wider, better and quicker solutions and achieving win-win effect in long term cooperation.

COMPANY PROFILE

Shanxi Tisco Steel Co., Ltd. faces the future with grand ambition and is actively constructing the personalized and flourishing corporation cultural system for providing high power for the healthy, sustained and fast development of the enterprise.

Shanxi Tisco Steel Co., Ltd. is a professional supplier of alloy steel, wear-resistant steel, weathering steel, stainless steel, carbon steel, corrosion-resistant pipes, bars, pipe fittings, and welding materials. As a member of the China Iron and Steel Association, we have established long-term friendly cooperative relationships with well-known domestic steel mills such as Baosteel, Wuhan Iron and Steel, Ansteel, TISCO and Laigang.



Company Advantages

Factory strength



20-year industry experience

Our company, with over 20 years of industry experience, supports fast delivery and cooperates with many well-known steel mills, such as Baosteel, TISCO, etc. We can provide customers with solutions considering various import and export transportation regulatory situations.




Stainless Steel Coil/Sheet

Shanxi Tisco Steel Co., Ltd



Product Usage



Product	Stainless Steel Coil/ sheet
Material Origin	TISCO, Baosteel, JISCO
Grade	200, 300, 400 series
Technology	Cold/ Hot Rolled
Thickness	0.05mm to 100mm
Width	10mm to 2500mm
Surface	BA, 2B, 2D, 4K, 6K, 8K, NO . 4, HL, SB, Embossed
Edge	Mill Edge, Slit Edge
Other Choices	Leveling: improve flatness, esp. for items with high flatness request.
	Skin-Pass: improve flatness, higher brightness
	Strip Slitting: any width from 10 mm to 2000 mm
	Sheets Cutting: Square Sheets, Retangle Sheets, Circles, Other Shapes
MOQ	FCL, 25 metric tons per 20GP, can be assorted with different size
	LCL for trial order is acceptable
Packing	Water-proof paper + Edge Protection + Wooden Pallets
Production Time	5-33 days depending on processing requirement & business season
The sizes or thicknesses of stainless steel coil can be customized, if you need additional information, please don't hesitate to contact us at any time.	
All standard products are supplied without inter paper & PVC film, If needed, please inform	



Stainless Steel Pipe

Shanxi Tisco Steel Co., Ltd



Main Features

Stainless steel seamless tube, stainless steel welded tube. All inventory can be cut to your exact size requirement

Shape	Round & Rectangle & Square
OD/Width	10-300mm
Thickness	0.05mm to 100mm
Lenght	1000-6000mm
Type	Seamless & welded
Packing	Each tube in a plastic bag with size label outside and pock in small bundles or according to customer request
Surface	Colored & polish & customization



Product Usage


- ① General service industries (petroleum, food, chemical, fertilizer, fabric, aviation)
- ② Fluid gas and ball transport
- ③ Pressure and heat transmission
- ④ Construction and ornament
- ⑤ Boiler heat exchangers



chair



ChemiCal



stairs



Fluid gas transmission



Faucet



Boiler heat exchangers



stainless steel bars

Shanxi Tisco Steel Co., Ltd



Shape	Round, square, hexagonal, rectangular
Size	10mm 20mm 30mm 50mm 80mm 100mm 150mm 200mm 500mm



Angle Steel

Shanxi Tisco Steel Co., Ltd

Shape	Equal/Unequal
Shape	Pickled,Black,Bright,Polishing,Blasting
Shape	304,304L309S,310S,316,316L,316Ti,317,317L,321,347H,201,202,405,409,410,420,430
Shape	20*20*3mm-250*250*26mm & OEM

Product Usage



Display case



Stairs



Cargo rack


Product Usage



Aircraft motor



Ship



Bolt

Stainless Steel Wire

Shanxi Tisco Steel Co., Ltd




Product Type	Stainless Steel Wire
Finish	Black/Bright/Pickled/Polished
Application	Spring, screw, rope, steel brush, pin,fixing.lifting.etc
Diameter	0.5-10mm or customer request
Tolerance	±1%
Material Grade	201, 202, 301, 302, 303, 304, 304L, 304H, 310S, 316, 316L,317L, 321,310S, 309S, 410, 410S,420, 430, 431, 440A,904L
Standard	AiSi,ASTM,EN.GB

Product Usage

- ① Stainless steel wire has excellent mechanical properties, corrosion resistance, high-temperature strength, and ease of processing, so it is widely used in various industrial fields of manufacturing and application.
- ② Stainless steel wire can be used to manufacture various mechanical parts, pipelines, valves, and other equipment and components.
- ③ Stainless steel wire can also be used in fields such as architecture and home decoration to improve the aesthetics and durability of products.



Protective rope




Bridge



Building structure



High-speed railway




Home decoration



Kitchenware

Stainless steel color plate

Shanxi Tisco Steel Co., Ltd



Product Type	Color Stainless Steel Sheet/Plate/Coil
Grade	200/300/400 Series
Thickness	0.3-3.0mm
Width Range	600mm-1500mm
Length	2000mm/2438mm/3048mm or customized
Color	Golden, Black, Sapphire Blue, Brown, Rose Gold, Bronze, Purple, Gray,. Silver, Champagne, Violet, ect.
Regular Size	1000mm*2000mm, 1219mm*2438mm, 1219*3048mm,or customized
Surface Finish	2B, BA, 8K, Hairline, embossed, etched, vibration, pvd color coated, titanium, sand blasted



Product Usage

- ① In terms of kitchen appliances, there are mainly overall facilities such as sinks, shelves, cabinets, etc.
- ② In the field of transportation, it is used in railway vehicles and automobile exhaust systems, bumpers and exteriors
- ③ Used in the construction industry for roofs, interior and exterior decoration of buildings, household stairs, guardrails, and protective nets





Carbon steel plate / coil

Shanxi Tisco Steel Co., Ltd

Size	Thickness: 1-500mm. Width: 100-2500mm
Material	Q235B-Q345B, D40, S10C, SS400, S235, S275, A572JR50, A516JR70, 20Mn - 50Mn, AP1 SPEC 2H Gr42, Gr50 etc
Shape	Steel plate & steel coil
Service	1, Size can be customized 2, OEM surface process




Product Usage

- ① Mainly used in railways, bridges, various construction projects, manufacturing various metal components that bear static loads, and unimportant mechanical parts and general welded parts that do not require heat treatment
- ② Used for water, sewage, air, heating, steam, oil and natural gas pipelines, thermal power generation, etc.
- ③ And it has also been widely used in piling and bridge steel structure.



Road administration



bridge



Conveying pipeline



Firepower



shipbuilding



Boiler equipment

3PP/3PE pipe


Shanxi Tisco Steel Co., Ltd



Product type	Petroleum pipes
Grade	Gr.B,X42.X46.X52.X60.X65.X70.X80
Technique	Hot Rolled
Anticorrosive coating	3PP/3PE
Application	Oil and gas,etc
Size	21.3-1016mm
Length	6-12m or as customer's requirement
MOQ	10 Tons
Shape	Round
Packing	Standard Seaworthy Packing

Product Usage

3PE (Three-Layer Polyethylene) and 3PP (Three-Layer Polypropylene) coatings are applied to petroleum pipes for corrosion protection in various environments. These coatings provide a protective layer that helps prevent corrosion and extends the lifespan of the pipes. They are commonly used in oil and gas pipelines where the pipes are exposed to harsh conditions, such as underground or underwater environments. The three layers typically consist of an epoxy primer, adhesive layer, and a polyethylene or polypropylene outer layer, offering effective corrosion resistance.





Galvanized coil/sheet

Shanxi Tisco Steel Co., Ltd

Material	D*51D/D*52D/D*53D/D*54D/S250GD/S350GD/S550GD
Size	0.12 to 100mm, 600-1250mm & OEM
Zinc Coating	30-275g/m2
Spangle	Big, Medium, Small ,Zero

Product Usage

- ① According to the main purpose, galvanized sheet can be divided into general use, indoor use, engineering building side board use, structure use, tile ridge board and low alloy board.
- ② The demand for construction and light industry is the main market for galvanized sheets, and from the household appliance industry to the consumption of galvanized coils, air-conditioning is the main consumption of galvanized steel products.
- ③ The back panel of the indoor unit of the air conditioner, the back panel of the cabinet, the inner parts, the outer casing, and the interior of the outdoor unit are all made of galvanized sheet
- ④ The automobile industry is also the main industry for galvanized sheet consumption, and its weight is much heavier than household appliances.



Corrugated roof sheet



light industry



Shutter doors




auto industry



Locker



prefab houses



auto industry



Locker


prefab houses

Galvanized roofing sheet/roofing ppgi

Shanxi Tisco Steel Co., Ltd

Product Name	Galvanized roofing sheet/roofing PPGI/PPGL
Width	600mm-1500mm, according to customer's requirement
Thickness	0.12---6.00mm
Galvanized Weight	20g/m2--275g/m2
Standard	EN10147/EN10142/DIN 17162/JIS G3302/ASTM A653
Steel grade	Dx51D/Dx52D/Dx53D/DX54D/S250GD/S350GD/S550GD
Model	YX66-470;YX65-430;YX66-394-788;YX75-380-760;YX25-210-840;YX51-410-820;YX15-225-900;YX35-125-750;YX28-207-828;YX28-205-820;YX10-110-880;
Applications range	Home appliance,building material,machinery,roofing sheet,etc.
MOQ	10 tons
Quality	Approved by SGS
Authentication	ISO9001:2008
Packaging	Water proof paper is inner packing, galvanized steel or coated steel sheet is outer packing , side guard plate , then wrapped by seven steel belt .
Market	North/South America,Europe,Asia,Africa,Mid East,ect
Port	Qingdao, Tianjin
Delivery time	In 7-10 days after receipt of deposit or L/C,T/T

Product Usage



PPGI / PPGL coil

Shanxi Tisco Steel Co., Ltd



Size	0.12 to 10 mm, 600 - 1250 mm & OEM
Paint Kind	PE/ SMP/ RMP/ HDP/ PVDF
Paint Brand	Nippon, Akzonobel, Wente, Nanshan
Surface	Normal/ Wrinkled/ Matt/ Wooden/ Stone/ Print
Color	Ral Color

Product Usage

- ① The market use of color coated steel plate is mainly divided into three parts: construction, home appliances and transportation.
- ② Color steel plates for construction are used to construct roofs, walls and doors of industrial and commercial buildings such as steel structure factories, airports, warehouses, and freezers.
- ③ Home appliance color panels are used to produce refrigerators and large air-conditioning systems, freezers, bread machines, furniture, etc.
- ④ In the transportation industry, electro-galvanized and cold plates are generally used as substrates, which are mainly used for oil pans, automotive interior parts, etc.



Aluminum coil/plate

Shanxi Tisco Steel Co., Ltd



Product	Aluminum coil/sheet/plate
Material	1000-8000 Series
Dimensions	Thickness: 0.2-200mm Width: 500-2500mm Length: as required
Package	Standard Sea-worthy Packing
Delivery Time	Standard size within 7 days, customized size according to quantity
Application	Building material, transportation, electric products, food package, etc.

Steel channel

Shanxi Tisco Steel Co., Ltd



Shape	C H U I type
Material	Carbon steel & stainless steel
Dimensions	5-100mm * 20-300mm, or as required
Surface	Black, Pre- galvanized, Hot Dipped Galvanized, No.1, No. 4, HL, etc.
Length	1000-12000mm or as required

Product Usage



1.Wire Rod

Shanxi Tisco Steel Co., Ltd



2.Steel Rebar

Shanxi Tisco Steel Co., Ltd



3.Galvanized Wire

Shanxi Tisco Steel Co., Ltd



4.Spring Steel Wire

Shanxi Tisco Steel Co., Ltd



Product Name	Low carbon steel wire rod
Grade	Q195/Q235/SAE1006/SAE1008/SAE1018
Diameter	5.5mm 6.5mm 8.0mm 10.0mm 12.0mm 14mm
Coil weight	100kg - 500kg/roll, or as required
Application	Making nail,wire-drawing, weaving of wire mesh, soft pipe, bean of cabinet, ,building materials,etc

Product Name	Reinforced steel bar steel rebar/Ribbed steel bars
Grade	HRB335, HRB400, HRB500, JISG3112-2004 SD390; BS4449-1997 Gr.460B; BS4449:2005 B500B/B500C
Specifications	Diameter(6-50mm) 6mm,8mm,10mm,12mm,16mm,20mm,22mm,25mm,28mm,32mm Or OEM Length:6m-12m as your required
Application	Rebar is widely used in building, bridge, road and other civil engineering construction.
Standard	GB:HRB400 HRB400E HRB500 USA:ASTM A615 GR40,GR60 UK: BS4449 GR460

Product Name	Galvanized steel wire
Wire Diametre	0.5--5.5mm
Zinc Coating	1)Hot-dip galvanized:30g--275g/m2 2)Electro galvanized:10-25g/m2
Grade	Q195 Q235
Surface	Shine and smooth ,no rust
Application	Wire mesh, construction, welding, armoured cable, in wide fields.
Packing	1-500kgs/coil, coil with plastic film inside and hessian cloth outside or woven bag outside

Product Name	Spring steel wire
Grade	SAE1006,SAE1008,SAE1010,A36,Q195,Q235,Q345,25-80,40Mn-70Mn,S35C,C45,SWP-B,72B,80B,etc.
Standard	GB/T 4357 JISG3521 JISG3522 EN10270-1
Product feature	Good strength consistency Small diameter to tolerance Be free from contamination,rust and mechanical damage
Usage	Automobile,mattress springs,shock absorbers,suspension springs,engine valves and camera shutters springs

Product Usage



Steel wire

Shanxi Tisco Steel Co., Ltd

Cold rolled steel coil / steel plate

Shanxi Tisco Steel Co., Ltd

Standard	AiSi, ASTM, DIN, GB, JIS
Model Number	Q195;SPCC;ST12;SPCD;SPCE;DC01;DC02;DC03
Technique	Cold Rolled
Surface Treatment	Light oil
Application	Package, Coating base sheet, Ship Plate
Width	500-1500mm
Length	Coil or customer's requirement
Type	Steel Coil
Product Name	Cold Rolled Steel Coil
Color	Customers Samples Color
MOQ	10 Tons

Product Usage

- Cold rolled steel coils can be used for:
- ① Packaging.
 - ② Coating treatment for cars, refrigerators, etc. washing machine.
 - ③ Industrial equipment: rolling door.
 - ④ Building materials and other fields.
 - ⑤ Coil can be GI, PPGL, PPGL coated sheet.

